

```

(let ((fingering-llu
      (make-l-for-lookup
       'fingering-lfl
       nil
       '(
         (1 (2 3 2 4))
         (2 (3 1 4 1))
         (3 (4 5 2 1))
         (4 (5 3 6))
         (5 (6 4 6 2))
         (6 (5 5 3))))))
  (get-l-sequence fingering-llu 1 +cheat-sheet-num-rthm-seqs+))
=>

```

no transitions

L-system rules

2177 (global variable)

self-similarities

5 5 3 5 3 6 5 5 3 3 1 4 1 5 3 6 6 4 6 2 3 1 4 1 2 3 2 4 6 4 6 2 6 4 6 2 4 5 2

1 6 4 6 2 6 4 6 2 4 5 2 1 6 4 6 2 4 5 2 1 5 5 3 6 4 6 2 6 4 6 2 4 5 2 1 4 5 2

1 2 3 2 4 5 3 6 2 3 2 4 5 3 6 6 4 6 2 3 1 4 1 2 3 2 4 3 1 4 1 4 5 2 1 3 1 4 1

5 3 6 6 4 6 2 4 5 2 1 5 5 3 3 1 4 1 4 5 2 1 3 1 4 1 5 3 6 4 5 2 1 2 3 2 4 5 3

6 2 3 2 4 5 3 6 6 4 6 2 3 1 4 1 2 3 2 4 4 5 2 1 2 3 2 4 5 3 6 2 3 2 4 6 4 6 2

4 5 2 1 5 5 3 5 3 6 6 4 6 2 3 1 4 1 2 3 2 4 3 1 4 1 4 5 2 1 3 1 4 1 5 3 6 6 4

6 2 4 5 2 1 5 5 3 3 1 4 1 4 5 2 1 3 1 4 1 5 3 6 6 4 6 2 4 5 2 1 5 5 3 5 5 3 5